

Pre-editor	006
Copy-editor	110
Proofreader	209
Layout	306
Quality	410

## AUTHOR'S QUERY SHEET

---

Author: Watni Marpaung, et al.  
Article title: Worshippers smoking in mosques: Violation of fatwas of ulemas and governor regulation  
Article id: HTS7975

---

Dear Author

The following queries have arisen during the editing of your manuscript and are identified on the proofs. Unless advised otherwise, please submit all corrections using the online Proofreading correction feature.











---

- AQ1 Please provide missing opening quote.
- AQ2 Please check whether the head levels are identified correctly.
- AQ3 Please check sentence for clarity.
- AQ4 Which transliteration should be used, Mecca or Makkah? Please suggest.
- AQ5 To match with the references list, this reference Abdalla (2012), cited in the text, has been changed to Abdalla et al. (2012). Please check and confirm.
- AQ6 Please clarify whether Nasution (2022) is cited here and elsewhere in the text refers to Nasution (2022a) or (2022b).
- AQ7 Please check edited sentence for intended meaning.
- AQ8 Antecedent unclear (according to who?); please check.
- AQ9 Should 'the Al-Quran' be 'the Qur'an'? Please check.
- AQ10 This sentence does not appear to be complete; please check.
- AQ11 Please check sentences for clarity.
- AQ12 Should this be 'nonsmoking areas within its territory'? Please suggest.
- AQ13 Please check 'Even though smoking is...' for clarity.
- AQ14 Please check 'Researchers tested the...' for clarity.
- AQ15 Please provide in-text citation for Tables 2–5.
- AQ16 The first-person plural is used occasionally in this article; please confirm whether it should be retained or changed to third person.
- AQ17 Did Ulema say this or smokers? Please check.
- AQ18 The numeral 1 is unclear here; should it be 'the first pillar'?
- AQ19 Please list the missing second point.
- AQ20 Please confirm edits to contribution section.
- AQ21 Please provide conference date for Anshar (2018).
- AQ22 Please provide publisher name and city name for Governor North Sumatera Province (2012).
- AQ23 The provided links do not appear to be working. Please check and provide updated links for WHO (2007, 2019).
- AQ24 Please provide viewed date for WHO (2007, 2019).



# Worshippers smoking in mosques: Violation of fatwas of ulemas and governor regulation

## Authors:

Watni Marpaung<sup>1</sup>   
 M. Amar Adly<sup>1</sup>   
 Rustam Rustam<sup>2</sup>   
 Akmaluddin Syahputra<sup>1</sup>   
 Putra Apriadi Siregar<sup>3</sup>   
 Syahril Arif Hutagalung   
 Muhammad S. A. Nasution<sup>4</sup>   
 Fitri Hayati<sup>5</sup>   
 Rahmad Efendi   
 Dhiauddin Tanjung<sup>6</sup> 

## Affiliations:

<sup>1</sup>Faculty of Shariah and Law,  
Universitas Islam Negeri  
Sumatera Utara, Medan,  
Indonesia

<sup>2</sup>Faculty of Education,  
Universitas Islam Negeri  
Sumatera Utara, Medan,  
Indonesia

<sup>3</sup>Faculty of Public Health,  
Universitas Islam Negeri  
Sumatera Utara, Medan,  
Indonesia

<sup>4</sup>Faculty of Shariah, Universitas  
Islam Negeri Sumatera Utara,  
Medan, Indonesia

<sup>5</sup>Faculty of Islamic Economic,  
Universitas Islam Negeri  
Sumatera Utara, Medan,  
Indonesia

<sup>6</sup>Faculty of Ushuludin,  
Universitas Islam Negeri  
Sumatera Utara, Medan,  
Indonesia

**Corresponding author:** Watni  
Marpaung,  
watni\_marpaung@uinsu.ac.id

## Dates:

Received: 29 July 2022  
Accepted: 26 Sept. 2022  
Published: [to be released]

## How to cite this article:

Marpaung, W., Adly, M.A.,  
Rustam, R., Syahputra, A.,  
Siregar, P.A., Hutagalung, S.A., et  
al., 2022, 'Worshippers smoking  
in mosques: Violation of fatwas  
of ulemas and governor  
regulation', *HTS Teologiese  
Studies/TheologicalStudies* 78(4),  
a7975. [https://  
doi.org/10.4102/hts.v78i4.7975](https://doi.org/10.4102/hts.v78i4.7975)

## Read online:



Scan this QR code  
with your smart  
phone or mobile  
device to read  
online.

The Indonesian Ulema Council (MUI) has issued an illegitimate fatwa against smoking in mosques because it endangers the health of worshippers and interferes with the comfort of worshippers. This study aims to investigate smoking behaviour in mosques and violations of fatwas from ulama and governor regulations. This study follows a cross-sectional design conducted by interviewing 531 Muslims who have prayed in the mosque for the last 14 days and observed the compliance of the mosque in implementing a smoke-free policy in 315 mosques. Frequency distribution and cross-tabulation were carried out using JASP 16 software using cross-tabulation. The results of this study indicate that the implementation of the smoke-free policy for mosques in Medan has been violated many times (57.8%), especially the violation regarding smoking in mosques (32.1%); cigarette butts were still found in the yard of the mosque (44.1%). Violations of the policy of fatwa smoke-free areas occurred in public mosques (61%) and muhammadiyah mosques (46.5%). Smoking behaviour in mosques was seen in the last 2 weeks, namely smoking behaviour carried out by worshippers (57.6%), smoking behaviour carried out by mosque administrators (39.2%), smoking behaviour carried out by community leaders in mosques (19.4%) and smoking behaviour that ulemas carried out in mosques (14.3%). Worshippers must comply with the rules against smoking in mosques because it can endanger the health of other worshippers. Cigarette smoke in the mosque will make other worshippers uncomfortable to worship so that it can damage the solemnity of the congregation to worship in the mosque.

[AQ1]

**Contribution:** This study is expected to explain smoking behaviour in mosques, violations of smoking behaviour in mosques that violate the ulama's fatwa regarding smoking behaviour in mosques and the governor's regulation on smoking behaviour in mosques.

**Keywords:** Fatwa; mosque; mosque worshippers; smoking; ulemas.

## Introduction

[AQ2]

The European community introduced smoking behaviour to Muslims in 1000 Hijri (Sulaiman 2013). European cigarette companies have increased the number of cigarette advertisements in various Muslim countries to introduce smoking behaviour to Muslims so that Muslims are addicted to smoking. Several Muslim-majority countries, such as Saudi Arabia, have 13% smokers, Guinea has 57.5% smokers, Indonesia has 34% smokers, Tunisia has 30.5% smokers, Pakistan has 15.2% smokers, and Iran has 10.5% smokers (Ghouri 2006).

[AQ3]

The dangers of smoking do not reduce the number of smokers in Indonesia. This number increased until 2018, and Indonesia was estimated to have 61.4 million smokers. Smoking behaviour has been carried out by various age groups, namely children, adolescents, adults and the elderly. Men and women also carry out smoking behaviour (Nurhayati 2022).

The smoking frequency carried out by Muslims is still very high because of differences in the views of ulemas regarding the smoking law in Islam. Many ulemas in Indonesia declared that smoking is prohibited (*haram*), some ulemas declared neutral (*mubah*), and others ulemas declared discouraged (*makruh*) (Prasetya 2020). The differences in methods of determining the law used by experts and differences in interpreting the texts caused Fuqaha to have different views regarding the law of smoking (Satria 2020). Ulemas have not found any evidence that forbids smoking, so they only carried out clerical agreements to solve this issue using various methods (Sabani 2022).

[AQ3]

Prohibition of smoking in public facilities is one way to prevent people from becoming passive smokers. The previous study has linked to decreased smoking rates in the United States, reduced

**Copyright:** © 2022. The Authors. Licensee: AOSIS. This work is licensed under the Creative Commons Attribution License.

indoor smoking in the United Kingdom, lower second-hand smoke (SHS) exposure in New Zealand, lower cardiac mortality in Belgium and improved indoor air quality in 15 North American and European countries (Cox 2013; Lazuras 2012). The efforts to control smoking behaviour and protect nonsmokers from cigarette smoke have led to a smoke-free policy (Kostygina 2014). Only 14 of the 30 surveyed Muslim nations (Mauritania, Turkey, Iran, Pakistan, Libya, United Arab Emirates, Saudi Arabia, Egypt, Senegal, Jordan, Syria, Mali, Bangladesh and Niger) have ratified the pact, with two more (Oman and Azerbaijan) holding accession status (Ghouri 2006).

The Grand Mufti of Saudi Arabia and chairman of the Standing Committee on Scientific Research and Fatwas of Saudi Arabia, Shaikh Abdul Aziz bin Abdullah Alu Shaikh, forbade all pilgrims to smoke in the glorified cities of Muslims, namely the cities of Makkah and Medina, let alone around the Grand Mosque and the Nabawi Mosque. According to the Mufti of Saudi Arabia, smoking can spread a smell that interferes with the solemnity of worship. The Government of Saudi Arabia strictly prohibits people from smoking in **Makkah** and Medina, especially in places of worship and surrounding areas, places of education, public transportation hubs and health, sports, culture, social and charity areas. Moreover, it is also prohibited in the offices of enterprises, factories, banks and others. Everyone who violates the smoking rules will be given a fine of 5000 riyals or around Rp18 million for violators. Pilgrims from Indonesia are often found smoking in the grand mosque area, so the residents of Mecca often reprimand Indonesian pilgrims who smoke. The people of Mecca do not like pilgrims who smoke in the Holy Land (Abdalla **et al. 2012**).

The implementation of smoke-free policy in various provinces in Indonesia is still poorly implemented. The facility compliance in implementing the smoke-free policy is still low, such as 17% in Jayapura in 2018, 78% in Bogor in 2011, 38% in Bengkulu and 30% in Medan in 2020 (Asyary 2018; Nasution **2022 a**); Wahyuti 2019; Yunarman 2020).

The mosque is one of the public facilities expected to be free from cigarette smoke. The mosque is expected to provide comfort and solemnity for worshippers in carrying out worship. Smoking in mosques will make worshippers uncomfortable to worship in mosques; cigarette smoke will cause smelly and not fresh air and even disturb health; cigarette butts and cigarette ash will interfere with the mosque's beauty.

**Saudi Arabia prohibits its citizens from smoking in public places; smoking is viewed as a health hazard that pollutes the air with harmful substances, disturbs the comfort of those around smokers, and increases the risk of fire (World Health Organization 2007).** The Mufti of Malaysia decided that smoking is prohibited because smoking is very dangerous for smokers and for other people around smokers; smoking is prohibited in public facilities (Yusof 2020).

Religion has a key position in society, and religion may play an essential role in an integrated set of tobacco control

programs and policies. For instance, religious leaders and tobacco control activists can collaborate to design programs that capitalise on religious festivals and gatherings to educate the faithful about the dangers of smoking and urge smokers to stop (Yong 2009).

**Ulemas in Indonesia have various views on smoking fatwas as Nahdatul Ulama (NU) has a fatwa discouraging (*makruh*) smoking behaviour but if you smoke in public facilities (such as mosques and restaurants) make, declare a fatwa prohibited (*haram*) it.** Other Islamic organisations, such as Muhammadiyah, issued a fatwa prohibiting smoking wherever it is located, taking into account the dangers and benefits of smoking (Auton 2012). The third Ijtima of Islamic scholars' Fatwa Commission throughout Indonesia issued a fatwa that 'prohibited' and 'discouraged' smoking, especially when the smoking behaviour is carried out in public places (mosques, restaurants, parks, etc.) and when the smoking behaviour is carried out by children or pregnant women (Nasution 2022a).

Indonesia seeks to improve air quality from cigarette smoke by implementing a smoke-free policy in various provinces and districts or cities. The Indonesian government issued the Regulation of the Minister of Health Number 70 of 2011 concerning guidelines for the implementation of nonsmoking areas, followed by regional regulations in various provinces and districts or cities regarding smoke-free areas.

Medan is a large city in the North Sumatra province, with a population of 15.6%. Medan has 1.6 million inhabitants, of whom 65% are Muslim. Medan currently has the slogan '*Medan Berkah*' [Medan Blessing], hoping that Medan will become a multicultural, competitive, humanist, prosperous and religious city. One form of religiosity in Medan can be seen in several houses of worship in Medan, namely 1110 mosques to support Muslim worshippers.

The Medan city mayor has implemented a smoke-free policy since 2013 through Regional Regulation Number 3 of Medan regarding smoke-free areas. The smoke-free policy in Medan bans selling, advertising, promoting and smoking tobacco or tobacco products in various facilities, including health facilities, educational facilities, offices and places of worship.

The mosque is one of the facilities where the smoke-free policy should be implemented, but it is easy to find violations of the smoke-free policy in the mosque. The violations of the smoke-free policy in mosques can still be seen in various provinces in Indonesia, such as Bengkulu (66.6%) and Bogor (20%) (Handayani 2020; Yunarman 2020). Numerous obstacles and facilitators to providing a smoke-free home were found. These related to the diversity of religious institutions in terms of the relative sizes of congregations and mosque staff, location and infrastructure, the demographics and ethnic origin of congregants, the background of imams

and other ulemas, languages used and the scope of activities held in the mosque (King 2017).

### Fatwas of ulemas and governor on smoking in mosques

According to the experts, smoking behaviour is an act of nature. Based on Quran Surah Al-Baqarah verse 35, which reads '*and do not approach this tree*', Quraish Shihab considers tobacco use dangerous and has deemed it to be a prohibited tree. According to him, the theme of the verses is how humans should avoid doing something bad as it would put them in danger. Tobacco was listed on the list of prohibited trees that Adam's children and grandchildren should avoid in this life, as it is not only a personal concern but also a threat to the health of their neighbours. As with Satan's trickery, smoking leads to detrimental conduct by causing individuals to spend money unfairly so that they no longer put things in their proper position (Anshar 2018).

A majority of participants who offered an opinion on the Islamic position of smoking stated that it is *makruh* [discouraged], while a minority stated that it is *haram* [prohibited]. Participants described how the message they heard about smoking depended on the sort of ulemas [Muslim cleric or educator] (Byron 2015). Religious leaders can explain to their congregations that the Indonesian Ulema Council (MUI) fatwa and local legislation do not prohibit smoking in all indoor public areas but do prohibit smoking in indoor public spaces. Ulemas should aggressively enforce the smoke-free ban on mosque premises for religious and legal reasons, and doing so might enhance their credibility when speaking about smoking.

Mosques are places of worship that are glorified by religion. *Shari'a* recommends that mosques be mentioned as *dhikr*, *shalawat*, reciting the Qur'an, etc. However, religion also does not prohibit activities inside mosques, such as sleeping inside mosques, as long as they do not disturb people praying. In Indonesia, mosques function not only as places of worship but are also used for various activities and events such as recitations, weddings, *bahtsul masail*, etc. It is not uncommon to see some people smoking in the mosque during the event.

[AQ3] The Indonesian Ulema Council (MUI) issued a fatwa that  
[AQ8] smoking in mosques is prohibited. According The Indonesian Ulema Council (MUI), smoking in the mosque is a behaviour that insults the mosque even though Allah Almighty ordered Muslims to glorify the mosque as a place of worship. Cigarette smoke will damage the mosque's honour as a place of worship that is supposed to provide comfort for worshippers to carry out worship in the mosque. Smoking behaviour in mosques will contaminate mosques. Cigarette butts and ash should be placed in their proper place (e.g. cigarette ashtrays) so as not to soil the floor of the mosque, thereby reducing the beauty of the mosque.

[AQ9] Fatwa is defined as ulemas' decision against a scenario or Muslim difficulties. Decision-making by ulemas is based on their knowledge of Islam through citing the Qur'an

and Sunnah, fatwas are to be issued by a fatwa commission in an Islamic organization. The committee sits together and deliberates on the subject or differences of views among Muslims and eventually arrives at a fatwa utilising all Muslim people. Decision-making or fatwas carried out by the ulema fatwa commission are expected to solve the problem among people for Muslim excellent condition or relationships. For example, Fatwa ulemas on smoking in Malaysia are expected to reduce the number of active smokers and the risk of passive smoking. [AQ10]

Smoking has harmful effects on the body. Thus, a fatwa was made to prevent Muslims from smoking by ulemas in some Muslim countries. In Malaysia, discussions among competent Muslims and Mufti committee named Shura Council were conducted. Numerous religious experts and organisations in Middle Eastern and North African nations have lately proclaimed smoking to be prohibited by Islam (Ghouri 2006). [AQ11]

It is the responsibility of religious leaders to transform the prevailing notion that smoking is a sin among Muslims into the cessation of smoking among smokers. Publicly admired religious leaders may accomplish better outcomes through small-group contacts than in big mosque settings (Radwan 2003). [AQ10]

The Indonesian government has begun to follow WHO to make smoke-free policy rules in some areas, including public facilities and mosques (Indonesia, 2009). To increase the effectiveness of these rules, local policies are set out in the regional regulations concerning the above (Nasution 2022a). [AQ12]

The smoking behaviour of worshippers in the mosque is a concern because this interferes with the health of other worshippers who want to pray in the mosque. Cigarette smoke in the mosque will make worshippers become second-hand and thirdhand smokers. Public awareness about the dangers of smoking is an important component of not smoking in the smoke-free policy (Hidayat 2015; Veruswat 2020).

### Dangers of smoking behaviour in mosques

Cigarette chemicals, specifically tar and nicotine, will be converted into pollutants. The residues (nicotine, nitric acid) are carcinogenic chemicals that can cause lung cancer and are inhaled by the next passive smoker (Drehmer 2017). Smoking should be prohibited in public facilities. Smoking restrictions protect all families and children from exposure to second-hand and third-hand smoke. Medically vulnerable children must attend places free of all cigarette smoke exposure. In general, the development of smoke-free areas seeks to minimise morbidity and mortality rates, establishing a clean, healthy, safe and comfortable atmosphere capable of protecting the younger generation from abusing narcotics, psychotropics and addictive substances (Napirah 2021).

Smoking is dangerous for health as it triggers noncommunicable diseases, which cause an increase in disability and death. However, smoking behaviours is an activity carried out by many people in Indonesia (Nasution 2022a; WHO 2019). [AQ13]

Exposure to cigarette smoke causes health problems, such as causing low birth weight and premature birth in pregnant women (Andriani 2021; Nadhiroh 2020), increasing the risk of developing asthma in children (Tanaka 2017) and causing various periodontal diseases (Tsz Kin Ng 2015).

All ages are adversely affected by exposure to cigarette smoke. Many studies have demonstrated a link between cigarette smoke exposure and lung cancer (Hori 2016; Shikata 2017). Second-hand smoke exposure has various negative consequences on lung function and growth, nutrition and immunological function in children; it is becoming recognised as an essential disease severity modulator for children with chronic disorders like cystic fibrosis (CF) (Kopp 2016).

Messages promoting the dangers of smoking for health must be advocated and arranged with communicative and effective language, considering marketing strategy and particularly appropriate locations to install promotional media (Hidayah 2019; Nasution 2022).

## Methods

### Study design and administration

The study used a cross-sectional design to investigate smoking behaviour in the mosque. Researchers conducted mosque observations in 21 districts of Medan city. This study was conducted from March to April 2022 in Medan, North Sumatra province. This study conducted interviews using questionnaires about smoking frequency and smoking perceptions among mosque worshippers. Observations were made on mosques in Medan city regarding violations of ulama fatwas and local regulations on smoking behaviour in mosques.

### Participants

Researchers made observations about the fatwa on the prohibition of smoking in mosques by Islamic organisations and the smoke-free policy about smoking in the mosque. The researchers observed the mosque as a facility included in the smoke-free policy using observation sheets with a Google Form. The researchers observed 315 mosques in Medan, including government institution mosques, mosques of Muhammadiyah organisations and public mosques. The researchers interviewed 531 mosque worshippers to examine smoking behaviour in mosques in the last 2 weeks.

### Measures and data analysis

Observation of smoking behaviour in the mosque was carried out by observing the mosques from a smoke-free regulation policy from Governor North Sumatera regulation about smoke-free policy regulation consists found that worshippers were smoking in mosques, found cigarette butts, found smoke and ashtrays in the mosques (Governor North Sumatera Province 2012). The smoking behaviour of worshippers was examined by conducting interviews with mosque worshippers using open questions regarding the frequency of smoking and perceptions about smoking

behaviour in mosques. The questionnaire in this study deals with informed about the prohibition of smoking in mosques; mosque worshippers' perception of a rule regarding smoking ban in mosques; mosque worshippers' perceptions of No smoking in the mosques, worshippers' perceptions of worshippers smoking in the mosque must be reprimanded; pilgrims' perceptions of cigarette smoke endangers the health of worshippers in the mosque; mosque worshippers' perception of fatwas prohibited to smoke in the mosque.

[AQ3]

The Kolmogorov–Smirnov test with a 95% confidence interval was used to conduct a normality test (Murti 2011). If  $p > 0.05$ , it indicates that the data are regularly distributed. The validity and reliability test of the questionnaire was conducted on 30 Muslim youths using questions about smoking behaviour and worshippers' perceptions of smoking fatwas in mosques. The researcher ran a validity test using the corrected item-total correlation value from the  $r$  table, 0.361. Cronbach's alpha is a way of measuring the reliability of an instrument based on a single measurement; if  $r$  count  $> r$  table or 0.8 is a significant value, then the instrument is deemed reliable (Murti 2011).

[AQ14]

The researchers analysed the data using JASP version 16; data analysis was used to determine the frequency distribution of compliance of 315 mosques in implementing smoking ban policies and in Medan city and 531 mosque worshippers. The analysis used cross-tabulation of smoking behaviour in mosques.

## Results

This study aims to see the implementation of a smoke-free policy in mosques. The researchers have carried out interviews with worshippers of the mosques in Medan about their views on nonsmoking areas in mosques ( $N = 531$ ). The researchers have also made observations in mosques about the implementation of nonsmoking areas ( $N = 315$  mosques). The results of this study can be seen in Table 1.

[AQ7]

The results of this study indicate that the results of the normality test using the Kolmogorov–Smirnov test (table 1) show that it has a  $p$  value  $> 0.05$ , which means a normal distribution.

**TABLE 1:** Results of Kolmogorov–Smirnov test.

Variables	Sign	Information
Informed about the prohibition of smoking in mosques	0.431	Test distribution is normal
There should be a rule regarding smoking ban in mosques	0.490	Test distribution is normal
No smoking in the mosques	0.468	Test distribution is normal
Worshippers smoking in the mosque must be reprimanded	0.441	Test distribution is normal
Cigarette smoke endangers the health of worshippers in the mosque	0.493	Test distribution is normal
It is prohibited to smoke in the mosque	0.472	Test distribution is normal

Source: An interview with participants (primary data)

[AQ15] **TABLE 2:** The results of validity and reliability test.

Variables (N = 30 persons)	Corrected item-total correlation	Cronbach's alpha if item deleted
Informed about the prohibition of smoking in mosques	0.886	0.872
There should be a rule regarding smoking ban in mosques	0.875	0.839
No smoking in the mosques	0.537	0.879
Worshippers smoking in the mosque must be reprimanded	0.592	0.811
Cigarette smoke endangers the health of worshippers in the mosque	0.481	0.826
It is prohibited to smoke in the mosque	0.692	0.829

Source: An interview with participants (primary data)

**TABLE 3:** The perceptions of worshippers about the fatwa against smoking in mosques.

The perceptions of worshippers about smoking in mosques (N = 531)	Yes		No		Total	
	n	%	n	%	N	%
Informed about the prohibition of smoking in mosques	439	82.7	92	17.3	531	100
There should be a rule regarding smoking ban in mosques	524	98.7	7	1.3	531	100
No smoking in the mosques	517	97.4	14	2.6	531	100
Worshippers smoking in the mosque must be reprimanded	495	93.2	36	6.8	531	100
Cigarette smoke endangers the health of worshippers in the mosque	523	98.5	8	1.5	531	100
It is prohibited to smoke in the mosque	347	65.3	184	34.7	531	100

Source: Primary data from the interview with worshippers of the mosques

This study's results indicate (table 2) that the validity test result with the corrected item-total correlation value show a value of  $r > 0.361$ , which means that the entire questionnaire instrument is declared valid. The results of this study indicate that the reliability test with the Cronbach's alpha method value showed a value of  $r > 0.8$ , which means the question item is reliable

[AQ3] The results of this study indicate that worshippers in the mosques are aware of the prohibition of smoking in the mosques (82.7%), but the perception of worshippers in the mosque towards the fatwa in mosques is still not good in that many worshippers in the mosque allow smoking in the mosque (14%), do not dare to reprimand worshippers who smoke in the mosque (36%) or even consider smoking behaviour in the mosque permissible (34.7%).

The results of this study indicate (table 3) that smoking behaviour in the mosque is common in the last 2 weeks, namely smoking behaviour carried out by the worshippers of the mosque (57.6%), smoking behaviour carried out by mosque administrators (39.2%), smoking behaviour carried out by the community leaders in the mosque (19.4%) and smoking behaviour carried out by ulemas in the mosque (14.3%).

The results of this study indicate (table 4) that the worshippers smoking in the mosques (57.6%), the mosque administrators smoking in the mosques (39.2%), the community leaders or scholars smoking in the mosque (19.4%) and ulemas smoking in the mosque (14.3%). The results of this study indicate (table 5) that there are still many mosques that do not comply with the smoke-free policy (57.8%). The most common violation was the absence of a nonsmoking sign in the mosque (34.2%), smoking in the mosque (32.1%) and cigarette butts still being found in the

**TABLE 4:** Smoking behaviour in the mosques according to worshippers, mosque administrators and ulemas.

The observation on smoking behaviour in the mosque in the last 2 weeks (N = 531)	Yes		No	
	n	%	n	%
The worshippers smoking in the mosques	306	57.6	225	42.4
The mosque administrators smoking in the mosques	208	39.2	323	60.8
The community leaders or scholars smoking in the mosque	103	19.4	428	80.8
Ulemas smoking in the mosque	76	14.3	455	85.7

Source: Primary data from observation in the mosques

**TABLE 5:** The implementation of the fatwa prohibiting smoking in mosques.

Smoking in mosque (N = 315 mosques)	No smoking	No smoke	No ashtrays	No cigarette butts	Total
(a) Overall	214	256	284	176	315
(b) Typology of the mosque					
Public mosques	77	93	107	58	118
Jamik mosques	137	163	177	118	197
(c) Type of mosques					
Community mosque	172	203	231	144	252
Nahdatul Ulama mosque	18	25	23	11	30
Muhammadiyah mosque	24	27	30	21	33

Source: Primary data from observation in the mosques

yard of the mosque (44.1%). The less common violations regarding the implementation of the smoke-free policy in the mosque are cigarette advertisements which can be seen around the mosque (5.7%) and ashtrays in the mosque's yard (9.8%).

Violations of the smoke-free policy occurred in mosques with a typology of public mosques (61%) and jamik mosques (55.8%). Violations of the policy of nonsmoking areas occurred in community mosques (58.3%), mosque organisations affiliated with NU (66.7%) and Muhammadiyah mosques (46.5%).

## Discussion

Every Muslim knows the mosque is their site of worship and honour to Allah S.W.T. The mosque has become an important gathering place for Muslims to engage in activities such as education and war planning. At the same time, the mosque is where Muslims learn about life on Earth and the hereafter (Yusof 2020).

Islamic organisations (MUI, NU, Muhammadiyah) have agreed to give prohibited fatwas to smokers in mosques. The mosque is one of the holy places for Muslims that must be kept clean and beautiful. Mosques are one of the locations where smoking is prohibited; mosque worshippers have the right to breathe air free of cigarette smoke. A more effective strategy, such as a smoke-free policy, is needed to reduce cigarette smoke exposure (Hidayah 2019). Exposure to cigarette smoke in public facilities will reduce the risk of passive smokers (Kostygina 2014).

Religious leaders' acts may play a significant role in the social and cultural denormalisation of smoking. Religious leaders who are smokers should set an example by quitting smoking in order to provide credibility to their message. Furthermore,

they can assist in implementing a smoke-free policy within their place of worship (Yong 2009).

It is anticipated that the socialisation of smoke-free policy in the mosque will increase mosque worshippers' level of understanding about prohibited smoking, resulting in a shift in behaviour in smoke-free areas. According to studies from different mosques, mosque worshippers lacked a proper understanding of smoke-free areas because of a lack of socialisation on the subject.

A study by Radwan (2003) showed the significance of religious leaders in altering the community's knowledge. **This study show** a correlation between higher exposure to antismoking messages from religious leaders and a large rise in fatwa-related smoking knowledge. This demonstrates the significance of religious leaders in the fight against the tobacco pandemic. Religious leaders can influence the majority of the populace. The consequence will likely be quite satisfying if they are motivated and organised to participate in tobacco-control activities.

**A study by Byron (2015) showed some of the smokers with whom we spoke said** they attempt not to annoy others with their smoke. Nonsmokers and a few smokers described how they had scolded people for smoking in air-conditioned settings or in the presence of youngsters or pregnant women. One nonsmoker described his reaction upon observing a smoker in the presence of others: 'In my view, this individual is *dzalim* [Islamic term meaning wicked since they intentionally harm others]'. Women and children are present, but they smoke as they like. That would be *dzalim*; that is a serious sin (Byron 2015).

The prohibition of smoking is *muwafaqah bil maqashid asy-syariah* [according to the objectives of the Shari'a], namely maintaining the five cases as mentioned above. Allah SWT says that 'the characteristics of believers are and those who keep the mandates (which they carry) and their promises' (Q.S. al-Mu'minun: 8).

An Islamic scholar named Qaradhawi (2008) mentioned strictly that smoking is prohibited because cigarettes can cause various kinds of danger, both danger that comes immediately or danger that comes gradually and can also be a waste of wealth. Smoking is also often identified with behaviour that harms a person's psychology and morals.

A study by Sucakli (2011) showed religious officials were not smoking at home although it was not prohibited. Religious officials agree that people should not smoke in public. Smoking religious officials respect the health of family members if they smoke in the public area. A study by Radwan (2003) showed with increasing exposure to religious leaders' anti-smoking teachings, smoking-related fatwa knowledge grew dramatically. The knowledge of the fatwa against smoking or the notion that smoking is a sin does not influence attempts to quit.

The views of the Indonesian Ulema Council (MUI), NU and Muhammadiyah can be understood that the point of difference in the fatwa about smoking behaviour is from the perspective of the ulemas arguments used and the impact of benefits and danger from smoking. The tendency to consider the prohibition of smoking is the achievement of *maqasid sharia*, namely to maintain personal health (*hifz al nafs*) and also to maintain property (*hifz al mal*) (Nurhayati 2021).

Smokers who smoke in public places, including smoke-free areas, are considered damaging to the objectives of *maqashid sharia*. The mosque is one of the places categorised as smoke-free areas. In the perspective of *maqashid sharia*, the worshippers smoking in the mosque have violated two pillars, and one of them is 1 (*hifz al-din*) maintain personal health. In the context of health, it is agreed that there are no benefits to smoking. 2. maintaining property (*hifz-mal*), where a smoker will spend their money/property on deeds that are not beneficial and even harmful to their health. On the contrary, smoking is detrimental to health. An active smoker is at risk of various health problems, such as respiratory issues and lung cancer (O'Keefe 2018; Rahal 2017), periodontal disease, oral cancer (Zhang 2019) and other cancer risks. Moreover, worshippers smoking in the mosque danger themselves and other worshippers who can become second-hand and third-hand smokers from such action – inhaling cigarette smoke imparts future damage to the person concerned to maintain personal health (*hifz al nafs*).

Regarding maintaining property (*Hifz al Mal*), the head of a smoker family must share his income to meet family needs by buying cigarettes (Nasution 2022b; Oktaviasari 2012). The expenditure on the purchase of cigarettes becomes the largest after basic food needs, education and health investment. Many smokers have admitted that they do not find the benefits of smoking at all. Smoking behaviour should be prohibited, not in terms of its use, but because it is a waste (Satria 2020).

The head of a family who is a smoker can maintain the property well if the money spent on cigarettes is used to meet the nutrition needed by his family, and this is more beneficial. **Qur'an Al-Baqarah (2:195): "Spend in the cause of Allah and do not let your own hands throw you into destruction 'by withholding'. And do good, for Allah certainly loves the good-doers (2:195)".**

In principle, pilgrims who smoke in mosques have violated two things, namely (1) violating regional regulations issued by the mayor of Medan to explain that smoking is not allowed in non-smoking areas (including mosques) through Regional Regulation Number 3 of 2014 concerning smoke-free policies, which include places of worship, such as mosques, prayer rooms, places of recitation and other similar places. (2) violation of the ulemas fatwa on the prohibition of smoking of Muslims in mosques. According to Nakhaee (2009), the incidence of smoking was much lower among individuals who regularly participated in religious activities, particularly those who prayed often.

The mayor of Medan has made rules on the prohibition of smoking in mosques to keep the air healthy and free of cigarette chemicals. The smoke-free policy in the Regional Regulation No. 4 in Medan is an effort made by the government in Medan to reduce the risk of worshippers in the mosque being exposed to cigarettes. The results of this study indicate that of 305 mosques observed, many mosques still have violations related to the smoke-free policy; smoking infractions are observed at mosques, such as cigarette ashtrays in the courtyard and worshippers who smoke in the courtyard.

The results of this study indicate that there are still many community leaders who smoke in the mosque, mosque administrators smoking in the mosque and even ulemas smoking in the mosques. This smoking behaviour occurs because the community leaders and the religious teachers still smoke in the mosque.

Ulemas (religious teachers) and community leaders are role models for the community, so their behaviour will impact the community's smoking behaviour in mosques. Many worshippers smoke inside the mosque because they imitate the community leaders, and the Islamic teachers also smoke in the mosque. Likely, the choice of smoking law in classical *fiqh*, which considers smoking discouraged, is why worshippers in the mosque keep smoking and ignore the fatwa issued by the Indonesian Ulema Council.

Cigarettes should be prohibited because of the danger in smoking. Furthermore, smoking can cause another danger, namely *dharar mali* [danger to property] (Yunus 2009). The prohibition of smoking is *muwafaqah bil maqashid ash-syariah* [according to the objectives of the sharia], namely maintaining the five cases as mentioned above. Allah S.W.T mentioned in the Qur'an that the characteristics of believers are 'And they who are to their trusts and their promises attentive' (Q.S: Al-Mukminun:8).

Smoking in the mosque can be understood as the decision made by the Indonesian Ulema Council that prohibits the behaviour of smoking in public places, so the smoke-free policy is carried out as a form of embodiment and implementation of the fatwa issued by the Indonesian Ulema Council. Furthermore, the fatwa issued by the Indonesian Ulema Council related to smoking applies to all leaders and administrators of the Indonesian Ulema Council as a consequence of the fatwa. Therefore, the behaviour of community leaders smoking in public places, especially in mosques, is counterproductive to the fatwa issued by the Indonesian Ulema Council. The smoke-free policy is an alternative solution to the legal dynamics of smoking in public places.

Many mosques do not provide information about the prohibition of smoking in the mosque area, even though cigarette ashtrays with cigarette butts can be seen behind the mosque walls. When several religious studies were conducted

in the mosque, it was not uncommon to find people smoking in the mosque's yard. However, we did not find any warnings from other worshippers or mosque administrators regarding the smoke behaviour carried out in the mosque. The mosque administrators and worshippers mentioned that they did not know that the mosque was one of the places included in the smoke-free policy.

## Conclusion

All Islamic organizations and ulemas in Indonesia agreed to issue a fatwa prohibiting smoking in mosques; however, still numerous mosques with worshippers who smoke in the mosque area. Smoking in mosques greatly interferes with the comfort of worshippers in carrying out worship and increases the risk of exposure to cigarette smoke, which is harmful to health. [AQ7]

Smoking behaviour, carried out by worshippers in the mosque, mosque administrators and Islamic scholars, is contrary to the fatwa issued by the Indonesian Ulema Council and the fatwa issued by the Muhammadiyah, which prohibits Muslims from smoking around other people because this can endanger others. However, we can still find many Muslims who smoke even in public places, including mosques.

Islam has ordered its people not to endanger their lives and the lives of others (*hifz al nafs*), including by preventing smoking behaviour in mosques that could endanger the health of others. The smoking behaviour of mosque worshippers, mosque administrators and ulemas in mosques has endangered the worshippers themselves and endangered the other worshippers who worship in the mosque. [AQ7]

Cigarette smoke can endanger the worshippers and can cause them to be second-hand and third-hand smokers, which will put them at risk for health problems. Mosque administrators should act decisively against worshippers who smoke in mosques by warning the worshippers who smoke in the mosque so that they are aware that smoking in the mosque violates the rules in the mosques. [AQ3]

The government of Medan, through the Regional Regulation No. 3 of 2014, has regulated a smoke-free policy, including in mosques, by hoping that the worshippers in the mosque will not be exposed to cigarette smoke so that they can pray comfortably in the mosque. Muslims should have an obligation to obey leaders (*ulil amri*) for the benefit of every Muslim, so they should not violate the smoke-free policy implemented by the government.

Compliance with government regulations is the obligation of every citizen in realising goodness and prosperity for the citizens the government policy aims to benefit. Mosque worshippers and ulemas need to comply with the fatwa of the Indonesian Ulema Council, which prohibits smoking in public places in front of children and pregnant women, including in mosques. In other words, the worshippers smoking in the mosque do not follow the fatwa stipulated in 2009. On the other hand, the violation of smoking in the mosque was triggered by the example given by the mosque administrators, community leaders and the religious teachers who also smoke in the mosque. Therefore, the [AQ7]



reasons for the worshippers to smoke in the mosque are getting stronger with the role models of the people who also smoke in the mosque. It is very likely that the smoking law in classical *fiqh*, which discouraged smoking, has become one of the reasons why the worshippers smoke and ignore the fatwa issued by the central Indonesian Ulema Council.

## Acknowledgements

The researcher thanked Universitas Islam Negeri Sumatera Utara for providing an opportunity to researchers in carrying out this study.

## Competing interests

The authors have declared that no competing interest exists.

## Authors' contributions

I am Watni Marpaung, the first author and corresponding authors in the manuscript stated that Watni Marpaung (Conceptualisation, Methodology, Formal Analysis, Investigation, Writing-Original Draft, Visualisation, Project Administration, Writing-Review and Editing and Funding Acquisition), M. Amar Adly contribution (Investigation, Writing-Original Draft, Project Administration and Funding Acquisition), Rustam contributions (Methodology, Formal Analysis and Investigation), Akmaluddin Syahputra contributions (Conceptualisation, Methodology, Project Administration and Funding Acquisition), Putra Apriadi Siregar contributions (Conceptualisation, Methodology, Validation and Data Curation), Syahrial Arif Hutagalung contributions (Project Administration) in manuskrip, Muhammad Syukri Albani Nasution contributions (Visualisation, Project Administration, Project Administration), Fitri Hayati contributions (Visualisation, Project Administration, Project Administration), Rahmad Efendi contributions (Visualisation, Project Administration, Project Administration). Dhiauddin Tanjung had contribute Software, Data Curation, and Writing – Review & Editing.

## Ethical considerations

This article followed all ethical standards for research without direct contact with human or animal subjects.

## Funding information

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

## Data availability

Data sharing is not applicable to this article as no new data were created or analysed in this study.

## Disclaimer

The views and opinions expressed in this article are those of the authors and do not necessarily reflect the official policy or position of any affiliated agency of the authors.

## References

Abdalla, A., Saeed, A., Abdulrahman, B., Al-Kaabba, A., Al-Hamdan, N., Alzalabani, A. et al., 2012, 'Effect of tobacco advertisements on smoking habits among adolescents in Saudi Arabia', *Medical Journal of Cairo University* 80(20), 111–119.

Andriani, H., 2021, 'Second-hand smoke exposure inside the house and adverse birth outcomes in Indonesia: Evidence from Demographic and Health Survey 2017', *medRxiv* 11(20), 1–10. <https://doi.org/10.1101/2021.11.20.21266641>

Anshar, N., 2018, 'Center to build a village without cigarette in bone bone of South Sulawesi', in *IOP Conference Series: Earth and Environmental Science*, New York, NY, pp. 1–6, 25–26 October 2017, pp 175–182.

Asyary, A., 2018, 'Compliance study of hotel and nightclub smoke-free zones in Bogor City, Indonesia', *Tobacco Prevention and Cessation* 4(25), 1–3. <https://doi.org/10.18332/tpc/92483>

Auton, A.R., 2012, 'Fatwa haram smoking Majelis Tarjih Muhammadiyah', in *RIGHT Jurnal Agama dan Hak Azasi Manusia* 1(2), 311–342.

Byron, M.J., 2015, 'Influence of religious organisations' statements on compliance with a smoke-free law in Bogor, Indonesia: A qualitative study', *BMJ Open* 5(12), 1–7. <https://doi.org/10.1136/bmjopen-2015-008111>

Cox, B., 2013, 'Impact of a stepwise introduction of smoke-free legislation on the rate of preterm births: Analysis of routinely collected birth data', *BMJ Open* 346(1441), 1–8. <https://doi.org/10.1136/bmj.f441>

Drehmer, J.E., 2017, 'Guidance for the clinical management of thirdhand smoke exposure in the child health care setting', *Journal of Clinical Outcomes Management* 4(12), 551–559.

Ghouri, N., 2006, 'Influence of Islam on smoking among Muslims', *BMJ* 332(4), 291–294. <https://doi.org/10.1136/bmj.332.7536.291>

North Sumatra Provincial Government, 2012, *Regulation of the Governor of North Sumatra Number 35 of 2012 concerning non-smoking areas in offices within the North Sumatra Provincial Government*. viewed 20 October 2022. <https://jdih.sumutprov.go.id/login/assets/reg/62903f136e6d8-Nomor%2035%20Tahun%202012%20.pdf>

Handayani, N., 2020, 'Tobacco-free areas in Semarang City (observational study of TFA regulation)', *An-Nadaa: Jurnal Kesehatan Masyarakat* 7(2), 115–121. <https://doi.org/10.31602/ann.v7i2.3671>

Hidayah, T., 2019, 'Efforts to reduce cigarette smoke exposure through non-smoking area regulation', *KEMAS: Jurnal Kesehatan Masyarakat* 14(3), 404–409. <https://doi.org/10.15294/kemas.v14i3.17851>

Hidayat, R.A., 2015, 'Cigarette law controversy in the Book of Irsyād Al-Ikhwān by Sheikh Ihsan Muhammad Dahlan', *International Journal Ihyā' 'Ulum Al-Din* 17(2), 189–208. <https://doi.org/10.21580/ihya.16.2.1652>

Hori, M., 2016, 'Secondhand smoke exposure and risk of lung cancer in Japan: A systematic review and meta-analysis of epidemiologic studies', *Japanese Journal of Clinical Oncology* 46(10), 942–951. <https://doi.org/10.1093/jjco/hyw091>

King, R., 2017, 'Involving mosques in health promotion programmes: A qualitative exploration of the MCLASS intervention on smoking in the home', *Health Education Research* 32(4), 293–305. <https://doi.org/10.1093/her/cyx051>

Kopp, B.T., 2016, 'The impact of secondhand smoke exposure on children with cystic fibrosis: A review', *International Journal of Environmental Research and Public Health* 13(10), 1–10. <https://doi.org/10.3390/ijerph13101003>

Kostygina, G., 2014, "'It's about the smoke, not the smoker": Messages that motivate rural communities to support smoke-free policies', *Health Education Research* 29(1), 58–71. <https://doi.org/10.1093/her/cyt087>

Lazuras, L., 2012, 'Smokers' compliance with smoke-free policies, and non-smokers' assertiveness for smoke-free air in the workplace: A study from the Balkans', *International Journal of Public Health* 57(1), 769–775. <https://doi.org/10.1007/s00038-012-0338-0>

Murti, B., 2011, *Tes Validitas dan Reliabilitas Pengukuran untuk Penelitian Kesehatan*, Gadjah Mada University Press, Yogyakarta.

Nadhiroh, 2020, 'The association between secondhand smoke exposure and growth outcomes of children: A systematic literature review', *Tobacco Induced Diseases* 18(12), 1–10. <https://doi.org/10.18332/tid/117958>

Nakhaee, N., 2009, 'Religious involvement and cigarette smoking among Iranian university students', *International Journal of Psychiatry in Medicine* 39(2), 89–198. <https://doi.org/10.2190/PM.39.2.g>

Napirah, M.R., 2021, 'Implementing a non-smoking regional policy to prohibit childrens' smoking habits in Palu City, Indonesia: A systematic', *Malaysian Journal of Medicine and Health Sciences* 17(12), 43–46.

Nasution (a), F., 2022a, 'Implementation of the smoke-free policy in Medan City, Indonesia: Compliance and challenges', *International Journal of Preventive Medicine* 13(30), 1–6. [https://doi.org/10.4103/ijpvm.IJPVM\\_106\\_20](https://doi.org/10.4103/ijpvm.IJPVM_106_20)

Nasution (b), M.S.A., 2022b, 'Hifz Al-Din (maintaining religion) and Hifz Al-Ummah (developing national integration): Resistance of Muslim youth to non-Muslim leader candidates in election', *HTS Teologiese Studies/Theological Studies* 78(4), 1–9. <https://doi.org/10.4102/hts.v78i4.7526>

Nurhayati, 2021, 'Funeral processes during the COVID-19 pandemic: Perceptions among Islamic religious leaders in Indonesia', *Journal of Religion and Health* 60(1), 3418–3433. <https://doi.org/10.1007/s10943-021-01418-z>

Nurhayati, 2022, 'Exposure to outdoor tobacco advertisements near home is associated with smoking among youth in Indonesia', *The Asian Pacific Journal of Cancer Prevention (APJCP)* 23(7), 2179–2183. <https://doi.org/10.31557/APJCP.2022.23.7.2179>

O'Keefe, L.M., 2018, 'Smoking as a risk factor for lung cancer in women and men: A systematic review and meta-analysis', *BMJ Open* 216(8), 1–12. <https://doi.org/10.1136/bmjopen-2018-021611>

Oktaviasari, D.I., 2012, 'Relationship between large family spending on cigarettes with toddler nutritional status in poor families', *The Indonesian Journal of Public Health* 9(1), 10–18.

Prasetya, N.H., 2020, 'Analysis of MUI fatwa on haram cigarettes in Knives Shād Ad-Dzāriyāt Fikih through Tafsir Ibn Katsir: Comparative study of the third Indonesian Fatwa Commission in 2009', *Al-Tadabbur: Jurnal Ilmu Al-Qur'an dan Tafsir* 5(1), 137–164. <https://doi.org/10.30868/at.v5i1.828>

[AQ21]

[AQ22]

[AQ20]

- Qaradhawi, Y., 2008, *Contemporary fatwas*, Gema Insani Press, Jakarta.
- Radwan, G.N., 2003, 'Impact of religious rulings (fatwa) on smoking', *Journal of the Egyptian Society of Parasitology* 33(3), 1087–1101.
- Rahal, Z., 2017, 'Smoking and lung cancer: A geo-regional perspective', *Frontiers in Oncology* 194(7), 1–7. <https://doi.org/10.3389/fonc.2017.00194>
- Sabani, R.F.A., 2022, 'Analysis of Hadith Lā Dharara Walā Dhirāran as the basis of fatwa on cigarette ban', *Jurnal Penelitian Ilmu Ushuluddin* 2(2), 268–293. <https://doi.org/10.15575/jpiu.v2i2.13693>
- Satria, O., 2020, 'The fatwa of smoking in the Kerinci manuscripts', *Jurnal PENAMAS* 33(2), 277–292. <https://doi.org/10.31330/penamas.v33i2.432>
- Shikata, S., 2017, 'Secondhand smoke exposure and risk of lung cancer in Japan: A systematic review and meta-analysis of epidemiologic studies', *Japanese Journal of Clinical Oncology* 47(3), 282–292. <https://doi.org/10.1093/jjco/hyw173>
- Sucakli, M.H., 2011, 'Religious officials' knowledge, attitude, and behavior towards smoking and the new tobacco law in Kahramanmaraş, Turkey', *BMC Public Health* 11(602), 1–7. <https://doi.org/10.1186/1471-2458-11-602>
- Sulaiman, A.A., 2013, 'An evaluation of the causes and effects of smoking among Muslim youths in Keffi Local Government Area, Nasarawa State, Nigeria: Islamic perspective', *Research on Humanities and Social Sciences* 3(4), 76–82.
- Tanaka, K., 2017, 'Secondhand smoke exposure and risk of wheeze in early childhood: A prospective pregnancy birth cohort study', *Tobacco Induced Diseases* 15(30), 1–7. <https://doi.org/10.1186/s12971-017-0138-7>
- Tsz Kin Ng, 2015, 'Cigarette smoking hinders human periodontal ligament-derived stem cell proliferation, migration and differentiation potentials', *Scientific Reports* 5(1), 1–7. <https://doi.org/10.1038/srep07828>
- Veruswat, M., 2020, 'Perceived community support about the implementation of a smoke-free environment regional regulations in the Tegal municipality', *Family Medicine & Primary Care Review* 22(3), 222–227. <https://doi.org/10.5114/fmPCR.2020.98250>
- Wahyuti, W., 2019, 'Monitoring compliance and examining challenges of a smoke-free policy in Jayapura, Indonesia', *Journal of Preventive Medicine and Public Health* 52(6), 427–432. <https://doi.org/10.3961/jpmph.19.240>
- World Health Organization (WHO), 2007, *Tobacco-free Mecca and Medina*, Jenewa, viewed 20 October 2022, from <https://www.emro.who.int/pdf/tobacco/summaries/tobacco-free-mecca-medina.pdf?ua=1> [AQ23]
- World Health Organization (WHO), 2019, *WHO report on the global tobacco epidemic 2019*, Jenewa, viewed 20 October 2022, from <https://www.who.int/publications/i/item/9789241515573> [AQ24]
- Yong, H.-H., 2009, 'Adult smokers' perception of the role of religion and religious leadership on smoking and association with quitting: A comparison between Thai Buddhists and Malaysian Muslims', *Social Science and Medicine* 69(1), 1025–1031. <https://doi.org/10.1016/j.socscimed.2009.07.042>
- Yunarman, S., 2020, 'Compliance with smoke-free policy and challenges in implementation: Evidence from Bengkulu, Indonesia', *Asian Pacific Journal of Cancer Prevention* 21(9), 2647–2651. <https://doi.org/10.31557/APJCP.2020.21.9.2647>
- Yunus, M., 2009, *Books of cigarettes, favors and madarat that legalize or forbid*, CV Kutu Wacana, Yogyakarta.
- Yusof, A.F., 2020, 'Study of mosque mimbar entrance', *Jurnal Islam dan Masyarakat Kontemporer* 21(2), 102–115. <https://doi.org/10.37231/jimk.2020.21.2.486>
- Zhang, Y., 2019, 'Effect of tobacco on periodontal disease and oral cancer', *Tobacco Induced Diseases* 17(40), 1–15. <https://doi.org/10.18332/tid/106187>